Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20030126453".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:13
L2	1	L1 and lock$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:13
L3	2	"20030037237".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:24
L4	0	l3 and decrypt$3 with signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:24
L5	1	l3 and decrypt$3 same signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:55
L6	2	"5689638".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:00
L7	2	"6393420".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:05
L8	2	"6389511".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:05

S1	8	"1030237".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:36
S2	2	"6571335".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 11:53
S3	2	"6401208".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 13:39
S4	0	S3 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 19:10
S5	2	private adj memory with authenticat$3 and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 11:54
S6	5	private adj memory same authenticat$3 and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 11:58
S7	51	cache adj memory same authenticat$3 and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 13:21
S8	497	cache same authenticat$3 and @ad<"20011231" not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:55

S9	41	load$3 with cache same authenticat$3 and @ad<"20011231" not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 13:27
S10	270	cache$2 with authenticat$3 and @ad<"20011231" not S7 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 13:28
S11	336	cach$3 with authenticat$3 and @ad<"20011231" not S7 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 13:29
S12	17	cach$3 with authenticat$3 same decrypt$3 and @ad<"20011231" not S7 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:55
S13	2	"6571335".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:10
S14	2	"6401208".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:19
S15	4	S13 or S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 13:39
S16	0	S15 and cach$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 13:39

S17	32	cach$3 same authenticat$3 same decrypt$3 and @ad<"20011231" not S7 not S9 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:35
S18	42	cach$3 same (verif$3 or verify or verification) same decrypt$3 and @ad<"20011231" not S7 not S9 not S12 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:46
S19	0	"6401208".pn. and (SHA and secure adj hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:19
S20	0	"6401208".pn. and (SHA or secure adj hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:19
S21	71	("4278837" "4307214" "4366537" "4521852" "5075842" "5022077" "5255379" "5293424" "5421006" "5459869" "5473692" "5479509" "5568552" "5615263" "5657445" "5717903" "5729760" "5764969" "5796845" "5805712" "5835594" "5844986" "5890189" "5937063" "5978481" "5987557" "6014745" "6058478" "6158546" "6175929" "6178509" "6205550" "6282651" "6282657" "20010037450").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:54
S22	1	"20010037450".pn. and cache$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:50
S23	0	"6282651".pn. and cach$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:53

S24	15	S21 and cach$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 18:06
S25	6	("4571672" "5953502" "6101584").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 18:15
S26	2	"5953582".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 18:15
S27	2	"5953502".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 18:15
S28	0	S27 and cach$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 18:21
S29	2	"5455909".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 18:21
S30	28	("4247905" "4347565" "5319760" "5437033" "5511217" "5522075" "5737604" "5854913" "6075938" "6182089" "6272637" "6314409" "6374317" "6397242").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:39
S31	9	S30 and cach$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:39

S32	2	"20030126453".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:13
S33	2	S32 and private	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:01
S34	51	cache adj memory same authenticat$3 and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:55
S35	41	load$3 with cache same authenticat$3 and @ad<"20011231" not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:55
S36	456	cache same authenticat$3 and @ad<"20011231" not S34 not S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:55
S37	17	cach$3 with authenticat$3 same decrypt$3 and @ad<"20011231" not S34 not S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:56
S38	6	cach$3 with (authenticat$3 or verified or verification) same decrypt$3 and @ad<"20011231" not S34 not S35 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:58
S39	43	cach$3 same (authenticat$3 or verified or verification) same decrypt$3 and @ad<"20011231" not S34 not S35 not S37 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:58

S40	101	(load$3 or temporarily) with cach$3 same (authenticat$3 or verified or verification) and @ad<"20011231" not S34 not S35 not S37 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:59
S41	47	(load$3 or temporarily) near3 cach$3 same (authenticat$3 or verified or verification) and @ad<"20011231" not S34 not S35 not S37 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:23
S42	2	(load$3) near3 cach$3 with decrypt$3 and @ad<"20011231" not S34 not S35 not S37 not S38 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:25
S43	189	(load$3) near3 cach$3 with compar$3 and @ad<"20011231" not S34 not S35 not S37 not S38 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:26
S44	270	(load$3) near3 cach$3 with valid and @ad<"20011231" not S34 not S35 not S37 not S38 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:26
S45	3	(load$3) near3 cach$3 with (determin$3 or compar$3) near4 valid and @ad<"20011231" not S34 not S35 not S37 not S38 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:28
S46	114	andrew near2 glew.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:28
S47	902	andrew near2 glew.in. james near2 sutton.in. lawrence near2 smith.in. david near2 grawrock.in. gilbert near2 neiger.in. michael near2 kozuch.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:30

S48	0	S32 and cach$3 and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:30
S49	107	S47 and cach$3 and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:31
S50	23	S47 and cach$3 same (authenticat$3 or validat$3 or valid or decrypt$3) and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:32
S51	7	S47 and cach$3 same (authenticat$3 or validat$3 or decrypt$3) and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:00
S52	2	"6851113".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:04
S53	2	"5689638".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 16:06
S54	2	"6393420".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:06
S55	1	S54 and cach$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:09

S56	2	"6389511".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:10
S57	2	"5926631".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:12
S58	2	S57 and cach$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:13
S59	0	S57 and cach$3 same decrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:13
S60	1	S57 and cach$3 same (hash$3 or digest$2 or signature$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:13
S61	2	"5926631".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:09
S62	2	"5926631".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 16:30
S63	1	S62 and encrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 16:30

S64	7	RSA with decrypt$3 same SHA-1 and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:07
S65	30	microcode same authenticat$3 and @ad<"20011231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:07
S66	0	S61 and (microcode or firmware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 17:10